

MH103-1B

Flat Surface Magnet Mounting Base with 1/4-28 Integral Mounting Stud, 40 lbs. Pull Strength, 1" (25.4 mm) OD, 0.42" (10.67 mm) Height




VIBRATION ANALYSIS HARDWARE



Product Features

- ▶ Durable 17-4 Stainless Steel case and mounting stud
- ▶ High Strength Neodymium Iron Boron magnet optimizes pull strength and performance
- ▶ Maximum frequency response up to 10 kHz when paired with MH133-1A mounting target



Specifications

Max Temperature	266°F (130°C)
Case Material	17-4 Stainless Steel
Magnet Material	Neodymium Iron Boron
Dimensions	1.00" (25 mm) OD, .46" (11.7 mm) Height
Pull Strength	40 lbs. (23 kg)
Sensor Mounting	1/4-28 Integral Stud

Chemical Compatibilities for Reference

- ▶ Gasoline - A
- ▶ Methanol - A
- ▶ Lubricants - A

Compatibility

- ▶ Compatible with all top exit sensors with 1/4-28 mounting holes

Stock Product

VIET POWER SOLUTIONS JSC (VPOWER RELIABILITY)

No. 8 Nguyen Cuu Van street, Ward 17,
Binh Thanh district, Ho Chi Minh city, Vietnam

Phone: +84 28 3899 1096

Fax: +84 28 3514 6752

Email : sales@vpower.com.vn

Web : vpower.com.vn

